

HPT25/30

HAND PALLET TRUCK

www.staxxspearsmhe.com

MADE IN INDIA

 **NO ANTI-DUMPING DUTY**

 **0% IMPORT DUTY**

- ◆ High quality and easy maintenance pump equipped. More than 50 million pieces produced each year, high reliable quality and extremely low failure rate.
- ◆ Small pump body removable design. If there are any failure on the small pump, it can be fixed via only changing it rather than replace the whole pump assembly. Save cost and easy maintenance.
- ◆ High quality spring used to make sure long life time.



MODEL			HPT25	HPT30
FEATURE				
1.1	capacity	kg	2500	3000
1.2	pump type		Integrated Pump	Integrated Pump
WHEEL				
2.1	wheel size,Rear (Nylon)	ΦD mm	φ200×50	φ200×50
2.2	wheel size,single front (Nylon)	Φd mm		φ80×93
2.3	wheel size,double front (Nylon)	Φd mm		φ80×70
DIMENSIONS				
3.1	lifting height	h mm	115	115
3.2	Height of tiller handle	mm		1230
3.3	max. fork lifting height	H mm		200
3.4	Lowered height of fork	H1 mm		85
3.5	fork outside distance	W mm		540
3.6	fork length	L mm	800/900/1000/1150/1500/1800/2000	
3.7	fork width	S mm		160
3.8	steel thickness(after painting)	mm		3




STAX 
www.staxxmhe.com

Hand Pallet Truck



- ◆ Well designed opening space for loading wheel, better protection for the wheel, and push rod, wheel fork etc.



- ◆ Tough chassis design to ensure the stability and reliability.



- ◆ Rigid rock arm design.



- ◆ Standard Reinforcing Stiffener under forks.



- ◆ Reliable quality loading and guide roller, good quality screw to ensure the stability, Life time is much longer than others.


- ◆ Good quality wheels and bearings.



- ◆ Adjustable push rod design. In case of the hand pallet truck used after one year, the two forks might not be on the same level, with this design, it still can be adjustable.



- ◆ Option of different coating material for both steering wheel and fork rollers.



- ◆ Unique Fork design
Grooved forks, punched by heavy presser, much stronger than normal flat fork. 400kgs fork intensity increases at static load.

HPT25/30G

GALVANIZED HAND PALLET TRUCK

www.staxxspearsmhe.com




MADE IN INDIA

 **NO ANTI-DUMPING DUTY**

 **0% IMPORT DUTY**

- ◆ All the exposed parts of the whole truck galvanized, including hydraulic pump, fork frame, handle and so on.
- ◆ Special application in cold and wet environments resists the effects of cold, condensation and washing.

MODEL			HPT25G	HPT30G
FEATURE				
1.1	capacity	kg	2500	3000
1.2	pump type		Integrated Pump	Integrated Pump
WHEEL				
2.1	wheel size,Rear (Nylon)	ΦD mm	φ200×50	φ200×50
2.2	wheel size,single front (Nylon)	Φd mm	φ80×93	
2.3	wheel size,double front (Nylon)	Φd mm	φ80×70	
DIMENSIONS				
3.1	lifting height	h mm	115	115
3.2	Height of tiller handle	mm	1230	
3.3	max. fork lifting height	H mm	200	
3.4	Lowered height of fork	H1 mm	85	
3.5	fork outside distance	W mm	540	
3.6	fork length	L mm	800/900/1000/1150/1500/1800/2000	
3.7	fork width	S mm	160	
3.8	steel thickness(after painting)	mm	3	




STAX 
www.staxxmhe.com

Galvanized Hand Pallet Truck



- ◆ With pressure relief valve and overload valve to prevent pump damages when loads exceed weight limits.
- ◆ The one-piece pump design simplifies repairs, assuring reliable service and long life.



- ◆ Nylon fork rollers as standard option for damp or harsh environments applications.

