# BF25
## HAND PALLET TRUCK

**MADE IN VIETNAM**

- NO ANTI-DUMPING DUTY
- 0% IMPORT DUTY

- Heavy Duty Integrated BF Pump, Overload Protection
- Strong Chassis Thickness, Powder Coat Finishing
- Ergonomic Handle, Triangle/Square Coated
- 3-Position Hand Control Lever-Raise, Lower, Neutral
- Foot Release
- Adjustable Pushing Rod

STAX
www.staxxmhe.com

- Option of different coating material for both steering wheel and loading wheels.

| SPECIFICATION | | | | BF25 | |
|---|---|---|---|---|---|
| **FEATURE** | | | | | |
| 1.1 | Capacity | | kg | 2500 | 2000 |
| 1.2 | Pump Type | | | BF cast pump | |
| **WHEEL** | | | | | |
| 2.1 | Steering Wheel | Material | | Rubber/PU/Nylon | |
| 2.2 | | Dimension | ΦD mm | 180 | |
| 2.3 | Loading Wheel | Material | | PU/Nylon | |
| 2.4 | | Type | | Single/Double | |
| 2.5 | | Dimension | Φd mm | 80 | |
| **DIMENSIONS** | | | | | |
| 3.3 | Max. Fork Lifting Height | | H mm | 200 | |
| 3.4 | Min. Height Of Fork | | H1 mm | 85 | |
| 3.5 | Fork Width | | W mm | 550/685 | |
| 3.6 | Fork Length | | L mm | 800/900/1000/1150/1220 | 1500/1800/2000 |
| 3.7 | Handle | | | Square coated | |



# DF25
## HAND PALLET TRUCK

**MADE IN VIETNAM**

- NO ANTI-DUMPING DUTY
- 0% IMPORT DUTY

- Heavy Duty DF Pump, Overload Protection
- Strong Chassis Thickness, Powder Coat Finishing
- Ergonomic Handle, Triangle Uncoated
- 3-Position Hand Control Lever-Raise, Lower, Neutral
- Foot Release
- Adjustable Pushing Rod

STAX
www.staxxmhe.com

- Option of different coating material for both steering wheel and loading wheels.

| SPECIFICATION | | | | DF25 | |
|---|---|---|---|---|---|
| **FEATURE** | | | | | |
| 1.1 | Capacity | | kg | 2500 | 2000 |
| 1.2 | Pump Type | | | DF cast pump | |
| **WHEEL** | | | | | |
| 2.1 | Steering Wheel | Material | | Rubber/PU/Nylon | |
| 2.2 | | Dimension | ΦD mm | 180 | |
| 2.3 | Loading Wheel | Material | | PU/Nylon | |
| 2.4 | | Type | | Single/Double | |
| 2.5 | | Dimension | Φd mm | 80 | |
| **DIMENSIONS** | | | | | |
| 3.3 | Max. Fork Lifting Height | | H mm | 200 | |
| 3.4 | Min. Height Of Fork | | H1 mm | 85 | |
| 3.5 | Fork Width | | W mm | 550/685 | |
| 3.6 | Fork Length | | L mm | 800/900/1000/1150/1220 | 1500/1800/2000 |
| 3.7 | Handle | | | Triangle uncoated | |